



Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-1

1. Surface cleaning & preparation

2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)



Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-2

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA MAX BOND
ELASTOMERIC POLYURETHANE
JOINT SEALANT

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-3

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA GROUT
HIGH STRENGTH NON
SHRINK MORTAR

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-4

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA WATER GUARD

SINGLE COMPONENT POLYURETHANE
BASED ELASTOMERIC COATING

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-5

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA WATER GUARD

SINGLE COMPONENT POLYURETHANE
BASED ELASTOMERIC COATING

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-6

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA MESH NP-721

A HI-TECH NON-WOVEN FABRIC WITH AN EXCELLENT ABRASION RESISTANCE

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-7

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA WATER GUARD

SINGLE COMPONENT POLYURETHANE
BASED ELASTOMERIC COATING

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-8

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA WATER GUARD

SINGLE COMPONENT POLYURETHANE
BASED ELASTOMERIC COATING

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-9

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA MESH FG-720

HIGHLY VERSATILE GLASS FIBRE MESH FOR
EXCELLENT BOND & REINFORCEMENT

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-10

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA WATER GUARD

SINGLE COMPONENT POLYURETHANE
BASED ELASTOMERIC COATING

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA

WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEP-11

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



MEGA WATER GUARD

SINGLE COMPONENT POLYURETHANE
BASED ELASTOMERIC COATING

Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)




Mega Sealers
Waterproofing Solutions

ZETA


WATERPROOFING SYSTEM

HIGH STRENGTH SOLUTION FOR EXPOSED WATER BODIES
(LAGOONS, LANDSCAPES, OPEN SWIMMING POOL, ETC)



STEPS

1. Surface cleaning & preparation
2. Pipe gap filling with **MEGA MAX BOND**
3. Filling core cutting with **MEGA GROUT**
4. Apply primer coat of **MEGA WATER GUARD PRIMER** at complete surface
5. Apply 1st coat of **MEGA WATER GUARD** at critical areas
6. Apply **MEGA MESH NP-721** at critical areas
7. Apply top coat of **MEGA WATER GUARD** at critical areas
8. Apply 1st coat of **MEGA WATER GUARD** at complete surface
9. Apply **MEGA MESH FG-722**
10. Apply 2nd coat of **MEGA WATER GUARD** at complete surface
11. Finally apply top coat of **MEGA WATER GUARD** at complete surface



Contact: +92 318 3880164 | +92 318 3880163 | +92 213 5318800



www.megasealers.com



info@megagroup.com.pk



[megasealers](https://www.facebook.com/megasealers)