

MEGA READY MIX SP-801

HIGH STRENGTH READY MIX WATERPROOF MORTAR

PRODUCT DESCRIPTION

MEGA READY-MIX SP-801 High Strength Ready Mix Waterproofing Mortar is a specialized construction material engineered to offer exceptional strength and waterproofing properties, making it ideal for various applications such as coving, filling cavities, and creating edge bends at a 45-degree angle. It comes in a ready-to-use form, eliminating the need for on-site mixing, and is formulated with high-quality ingredients to ensure consistent performance and durability. With its versatile application and ease of use. MEGA READY-MIX SP-801 provides a durable finish that withstands environmental conditions, meeting industry standards for quality and

USES

reliability.

- Coving creation for seamless wall-to-ceiling transitions
- Filling voids, gaps, or cavities for structural integrity
- Precision edge bends at 45-degree angles for architectural enhancements
- Effective waterproofing for joints, cracks, and surfaces exposed to moisture
- Repairing damaged concrete or masonry surfaces
- Adhesive for tile installation with waterproofing properties
- Reinforcing corners, edges, or joints for structural enhancements
- Versatile use in general construction projects



ADVANTAGE

- Provides robustness and resilience to construction materials.
- Enhances durability, ensuring longevity of structures.
- Withstands heavy loads and external pressures, maintaining structural integrity.
- Forms a barrier against moisture penetration.
- Prevents water damage, such as rot, mold, and decay.
- Ensures protection against weather elements, extending the lifespan of constructions.
- Eliminates the need for complex mixing or preparation.
- Saves time and effort, facilitating efficient application.
- Ideal for quick construction tasks or urgent repairs.
- Adaptable for various construction projects and applications.
- Suitable for use in diverse environments and conditions.
- Offers flexibility in addressing different construction needs.
- Utilizes premium materials known for reliability and performance.
- Ensures consistency and effectiveness in construction tasks.
- Enhances overall quality and functionality of the product.

METHODOLOGY

To apply MEGA REDAY-MIX SP-801, a dry powder mortar, begin by transferring the powder into a clean mixing bucket, adjusting the water quantity based on whether a sage or non-sage material is needed, and thoroughly mix until a consistent mortar is formed. Then, using any trowel, apply the prepared mortar onto the surface evenly, ensuring adequate coverage. Smooth and level the mortar with the trowel as necessary to achieve a uniform finish. Allow the applied mortar to cure according to manufacturer instructions, protecting it from adverse weather conditions during the curing process. Finally, inspect the surface for any defects and make necessary touch-ups before cleanup.

PACKING

MEGA READY-MIX SP-801 conveniently available in 20 KG poly bags, facilitating easy handling and storage on construction sites.

TECHNICAL DATA	
Packing	20 kg Poly Bag
Appearance	Powder
Density	
Coverage	
Drying Time	

CLEAN UP

Materials are difficult to remove when set. Clean tools and equipment before the material set.



Scan QR Code to find complete range of our products, services, technical data sheets, and updates.

VALUE BASE

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the product uses.

HEALTH AND SAFETY INFORMATION

It is physiologically non hazardous once cured. However, follow standard Health & Safety Procedures when handling the product and wear gloves and face / eye protection. Avoid eye and skin contact. If skin contact occurs, wash with plenty of water and soap. In case of eye contact rinse with plenty of water and seek medical advice.

Non reacted material should only be disposed to special designated sites. It is better to let the product react with water to form foam before disposal in landfill sites.

The information given here is true, represents our best knowledge and is based not only on laboratory work but also on field experience. However, because of numerous factors affecting results, we offer this information without guarantee and no patent liability is assumed. For additional information or questions, please contact your local representative.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Mega Sealers products, are given in good faith based on Mega Sealer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Mega Sealer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Mega Sealers reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

In case of any query or technical assistance, please feel free to contact us on following numbers mentioned below.

Our dedicated customer support team will be happy to assist you.



MEGA READY MIX SP-801

HIGH STRENGTH READY MIX WATERPROOF MORTAR HEAD OFFICE: C-1-C, 2nd Floor, Main Khy-e-Itehad, Near KFC, Opposite Dubai Islamic Bank, DHA Phase 7, Karachi-Pakistan. PLANT: Plot B-653, Sec. 3, Near Life Care Medical, Ahsanabad Industrial Area, Karachi-Pakistan.

4 +92 213 5318800 **(2)** +92 318 3880164

info@megagroup.com.pk www.megasealers.com