



Mega Sealers
Waterproofing Solutions

MEGA READY MIX SP-803

**EXTRA BOND READY MIX
REPAIRING MORTAR**

PRODUCT DESCRIPTION


MEGA READY-MIX SP-803 is a high-performance repairing mortar designed to create fine particles and repair cracks. With its incorporation of ultra-micro particles, it ensures exceptional strength and durability while retaining the structural integrity of surfaces. It's an ideal choice for preparing walls before waterproofing, offering a reliable solution for construction needs.

USES

- Creating fine particles for various construction applications.
- Repairing cracks in concrete, masonry, or other building materials.
- Utilizing ultra-micro particles to enhance structural integrity and durability.
- Preparing walls before applying waterproofing materials, ensuring a secure and effective seal.

ADVANTAGE

- **Enhanced Repair:** Capable of effectively repairing cracks in various construction materials, ensuring structural integrity.
- **Fine Particle Formation:** Facilitates the creation of fine particles, contributing to smoother and more uniform surfaces.



- **Ultra-Micro Particle Integration:** Incorporates ultra-micro particles for superior strength and durability, improving the longevity of repairs.
- **Versatility:** Suitable for a wide range of applications, including crack repair and surface preparation before waterproofing.
- **Time and Cost Efficiency:** Provides a convenient and efficient solution for repairing and reinforcing structures, potentially reducing labor and material costs.
- **Reliable Performance:** Offers dependable performance in challenging environments, ensuring long-lasting results.
- **Ease of Application:** Easy to mix and apply, making it suitable for both professional contractors and DIY enthusiasts.

METHODOLOGY

To apply MEGA REDAY-MIX SP-803, a dry powder mortar, begin by transferring the powder into a clean mixing bucket, adjusting the water quantity based on whether a sage or non-sage material is needed, and thoroughly mix until a consistent mortar is formed. Then, using any trowel, apply the prepared mortar onto the surface evenly, ensuring adequate coverage. Smooth and level the mortar with the trowel as necessary to achieve a uniform finish. Allow the applied mortar to cure according to manufacturer instructions, protecting it from adverse weather conditions during the curing process. Finally, inspect the surface for any defects and make necessary touch-ups before cleanup.

PACKING

MEGA READY-MIX SP-803 is packaged in a 5 kg, designed for convenient handling and storage on construction sites.

CLEAN UP

Materials are difficult to remove when set. Clean tools and equipment before the material set.

TECHNICAL DATA

| | |
|-------------|--------|
| Packing | 5 kg |
| Appearance | Powder |
| Density | |
| Coverage | |
| Drying Time | |

VALUE BASE

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.



Scan QR Code to find complete range of our products, services, technical data sheets, and updates.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the product uses.

HEALTH AND SAFETY INFORMATION

It is physiologically non hazardous once cured. However, follow standard Health & Safety Procedures when handling the product and wear gloves and face / eye protection. Avoid eye and skin contact. If skin contact occurs, wash with plenty of water and soap. In case of eye contact rinse with plenty of water and seek medical advice.

Non reacted material should only be disposed to special designated sites. It is better to let the product react with water to form foam before disposal in landfill sites.

The information given here is true, represents our best knowledge and is based not only on laboratory work but also on field experience. However, because of numerous factors affecting results, we offer this information without guarantee and no patent liability is assumed. For additional information or questions, please contact your local representative.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Mega Sealers products, are given in good faith based on Mega Sealer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Mega Sealer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Mega Sealers reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

*In case of any query or technical assistance, please feel free to contact us on following numbers mentioned below.
Our dedicated customer support team will be happy to assist you.*



MEGA READY MIX SP-803

**EXTRA BOND READY MIX
REPAIRING MORTAR**

HEAD OFFICE: C-1-C, 2nd Floor, Main Khy-e-Itehad, Near KFC,
Opposite Dubai Islamic Bank, DHA Phase 7, Karachi-Pakistan.
PLANT: Plot B-653, Sec. 3, Near Life Care Medical, Ahsanabad
Industrial Area, Karachi-Pakistan.
☎ +92 213 5318800 📞 +92 318 3880164
✉ info@megagroup.com.pk 🌐 www.megasealers.com